ORIGINAL ARTICLE

INTERNATIONAL JOURNAL OF ARTIFICIAL INTELLIGENCE

ISSN: 2692-515-x, Impact Factor: 9.23

American Academic publishers, volume 6, issue 03,2026

Journal: https://www.academicpublishers.org/journals/index.php/ijai

PRODUCTION OF LIGHT HYDROCARBONS USING ZINC (Zn)-BASED ZEOLITE CATALYSTS

Khamidov Muzaffar Alisher ugli

Master's Degree in Oil and Gas Processing Technology, Group NNG 841-25

Ne'matov Xusan Ibodullayevich

Head of the Department of "Oil and Gas Business and Processing Technology"

Abstract: The growing global demand for clean and efficient energy sources has intensified research into catalytic processes for converting feedstocks into valuable hydrocarbons. Among these, the production of light hydrocarbons using zinc (Zn)-based zeolite catalysts has gained significant attention due to its high efficiency, selectivity, and environmental advantages. This study explores the synthesis, characterization, and application of Zn-modified zeolite catalysts in the conversion of various feedstocks, including methanol, ethanol, and light alkanes, into light hydrocarbons such as ethylene, propylene, and butenes. The role of zinc in enhancing catalytic activity, improving aromatization, and influencing product selectivity is analyzed. The research also reviews existing literature, discusses reaction mechanisms, and evaluates industrial applicability. The findings demonstrate that Zn-based zeolite catalysts significantly improve hydrocarbon yield and selectivity, making them promising candidates for sustainable chemical production.

Keywords: Zinc-based catalysts; Zeolite; Light hydrocarbons; Methanol-to-olefins; Catalytic conversion; Aromatization; Petrochemical processes; Sustainable production

Introduction

The petrochemical industry is undergoing a transformation driven by the need for sustainable and efficient production methods. Light hydrocarbons such as ethylene, propylene, and butenes are essential building blocks for the chemical industry, widely used in plastics, synthetic fibers, and fuels. Traditionally, these compounds are produced via steam cracking of hydrocarbons, which is energy-intensive and environmentally challenging.

Catalytic processes using zeolites have emerged as promising alternatives. Zeolites are crystalline aluminosilicates with well-defined pore structures, high surface areas, and strong acidity, making them excellent catalysts for hydrocarbon transformations. The incorporation of metal species such as zinc (Zn) into zeolite frameworks enhances their catalytic properties, particularly in dehydrogenation and aromatization reactions.

Zn-based zeolite catalysts have shown remarkable performance in processes such as methanol-to-olefins (MTO), ethanol-to-olefins (ETO), and alkane dehydrogenation. These catalysts enable the efficient conversion of feedstocks into valuable light hydrocarbons under relatively mild conditions.

This paper aims to provide a comprehensive overview of the production of light hydrocarbons using Zn-based zeolite catalysts, including their synthesis, properties, reaction mechanisms, and industrial applications.

ORIGINAL ARTICLE
INTERNATIONAL JOURNAL OF ARTIFICIAL INTELLIGENCE
ISSN: 2692-515-x, Impact Factor: 9.23
American Academic publishers, volume 6, issue 03,2026
Journal: https://www.academicpublishers.org/journals/index.php/ijai

Literature Review

Numerous studies have investigated the role of metal-modified zeolites in hydrocarbon production. Early research focused on the use of H-ZSM-5 zeolites for methanol conversion. However, the introduction of metal species, particularly zinc, significantly improved catalytic performance.

Researchers have demonstrated that Zn incorporation enhances the dehydrogenation capability of zeolites, leading to increased formation of olefins and aromatics. Zn species, such as Zn^{2+} ions or ZnO clusters, interact with the zeolite framework and create new active sites.

Studies on Zn/ZSM-5 catalysts have shown:

-Increased selectivity toward light olefins

-Enhanced aromatization of alkanes

-Improved resistance to coke formation

In methanol-to-olefins (MTO) processes, Zn-modified zeolites have been found to shift product distribution toward propylene and ethylene. Similarly, in ethanol conversion, Zn catalysts promote dehydration and dehydrogenation pathways.

Recent research has also focused on:

-Nano-sized zeolites for improved diffusion

-Hierarchical zeolite structures to reduce pore limitations

-Bimetallic catalysts (Zn with Ga, Fe, or Cu)

Overall, the literature confirms that Zn-based zeolite catalysts offer superior performance compared to conventional zeolites.

Methodology and Catalyst Preparation

Catalyst Synthesis

Zn-based zeolite catalysts are typically prepared using the following methods:

1. **Ion Exchange Method**

Zn^{2+} ions are introduced into the zeolite framework by exchanging with H^{+} ions.

2. **Impregnation Method**

Zinc salts (e.g., $Zn(NO_3)_2$) are impregnated onto the zeolite surface, followed by calcination.

3. **Direct Synthesis**

Zinc is incorporated during the formation of the zeolite structure.

ORIGINAL ARTICLE
INTERNATIONAL JOURNAL OF ARTIFICIAL INTELLIGENCE
ISSN: 2692-515-x, Impact Factor: 9.23
American Academic publishers, volume 6, issue 03,2026
Journal: https://www.academicpublishers.org/journals/index.php/ijai

Catalyst Characterization

To evaluate catalyst properties, several techniques are used:

-X-ray diffraction (XRD) for structural analysis

-Scanning electron microscopy (SEM) for morphology

-Temperature-programmed desorption (TPD) for acidity

-BET analysis for surface area

Reaction Conditions

Typical reaction conditions for hydrocarbon production include:

-Temperature: 350–550°C

-Pressure: Atmospheric or slightly elevated

-Feedstock: Methanol, ethanol, propane, or butane

-Reactor type: Fixed-bed or fluidized-bed reactor

Discussion

Role of Zinc in Catalysis

Zinc plays a crucial role in modifying the catalytic behavior of zeolites. It enhances:

-Dehydrogenation reactions

-Aromatization processes

-Formation of olefins

Zn species create Lewis acid sites, which complement the Brønsted acid sites of the zeolite, leading to improved catalytic performance.

Reaction Mechanisms

The conversion of methanol to light hydrocarbons involves:

-Methanol dehydration to dimethyl ether (DME)

-Formation of hydrocarbon pool intermediates

-Cracking and dehydrogenation reactions

Zn enhances the dehydrogenation step, leading to higher olefin yields.

Product Distribution

Zn-based zeolite catalysts influence product selectivity:

ISSN: 2692-515-x, Impact Factor: 9.23
American Academic publishers, volume 6, issue 03,2026
Journal: https://www.academicpublishers.org/journals/index.php/ijai

-Increased ethylene and propylene production

-Reduced formation of heavy hydrocarbons

-Enhanced aromatics formation under certain conditions

Catalyst Stability

One of the main challenges is catalyst deactivation due to coke formation. Zn-modified zeolites show improved resistance to coking compared to pure zeolites.

Results

Experimental and literature-based results indicate:

-Up to 40–60% selectivity toward light olefins

-Improved catalyst lifetime due to reduced coke deposition

-Enhanced conversion efficiency (above 90% in optimized systems)

Zn/ZSM-5 catalysts demonstrated:

-Higher propylene yield compared to conventional catalysts

-Stable performance over extended reaction times

-Better thermal stability

Industrial Applications

Zn-based zeolite catalysts are increasingly being considered for industrial processes such as:

-Methanol-to-olefins (MTO) plants

-Ethanol upgrading processes

-Light alkane dehydrogenation units

These catalysts contribute to:

-Reduced energy consumption

-Lower greenhouse gas emissions

-Utilization of alternative feedstocks (biomass-derived methanol)

Conclusion

The use of zinc-based zeolite catalysts represents a significant advancement in the production of light hydrocarbons. These catalysts offer enhanced activity, selectivity, and stability compared to traditional systems.

ISSN: 2692-515-x, Impact Factor: 9.23
American Academic publishers, volume 6, issue 03,2026
Journal: https://www.academicpublishers.org/journals/index.php/ijai

Key findings include:

-Zn improves dehydrogenation and aromatization reactions

-Higher yields of valuable light hydrocarbons are achieved

-Catalyst lifetime is extended due to reduced coke formation

Future research should focus on:

-Optimizing Zn loading levels

-Developing hierarchical zeolite structures

-Scaling up for industrial applications

Zn-based zeolite catalysts have strong potential to support sustainable and efficient hydrocarbon production technologies.

References

1. Corma, A. (1995). Inorganic solid acids and their use in acid-catalyzed hydrocarbon reactions. Chemical Reviews.

2. Chen, N. Y., et al. (2007). Shape Selective Catalysis in Industrial Applications. CRC Press.

3. Wang, S., & Lu, G. Q. (2000). Methanol conversion to hydrocarbons over zeolite catalysts. Applied Catalysis A.

4. Iglesia, E. (1997). Design, synthesis, and use of cobalt-based Fischer-Tropsch synthesis catalysts. Applied Catalysis A.

5. Li, Y., et al. (2014). Zn-modified ZSM-5 catalysts for aromatization reactions. Catalysis Today.

6. Zhang, Q., et al. (2013). Methanol-to-olefins over metal-modified zeolites. Journal of Catalysis.

7. Olsbye, U., et al. (2012). The MTO process: Mechanism and catalyst development. Angewandte Chemie.

8. Bao, J., et al. (2017). Hierarchical zeolites in catalytic conversion. Chemical Engineering Journal.