ORIGINAL ARTICLE

INTERNATIONAL JOURNAL OF ARTIFICIAL INTELLIGENCE

ISSN: 2692-515-x, Impact Factor: 9.23

American Academic publishers, volume 6, issue 01,2026

Journal: https://www.academicpublishers.org/journals/index.php/ijai

WATER AND METHODS OF WATER PURIFICATION AND SOFTENING

Dilsora Rashidovna Sultonova

Special Subject Instructor, Qorovulbozor Technical College, Bukhara Region

Phone: +998 94 342 74 42

E-mail: sultonovadilsora123@gmail.com

Abstract

Water is one of the most essential natural resources for human life, industrial development, agriculture, and environmental sustainability. However, the increasing level of pollution and the presence of hardness-causing ions significantly limit the usability of natural water sources. Water purification and softening are therefore crucial processes aimed at improving water quality for domestic, industrial, and agricultural use. This article analyzes the physical, chemical, and biological properties of water, the main sources of water contamination, and scientifically proven methods of water purification and softening. Particular attention is paid to traditional and modern treatment technologies such as sedimentation, filtration, chlorination, ion exchange, membrane technologies, and chemical softening methods. The study is based on factual data derived from Uzbek scientific and educational literature and highlights the effectiveness, advantages, and limitations of each method.

Keywords

water quality, water purification, water softening, hardness, ion exchange, filtration, chemical treatment

Introduction

Water plays a fundamental role in sustaining life and supporting socio-economic development. According to hydrological studies, only about 2.5% of the Earth's total water resources are freshwater, and less than 1% of this amount is readily available for human use [1]. Natural water sources such as rivers, lakes, and groundwater are often contaminated by industrial discharge, agricultural runoff, and domestic wastewater. In addition, many water sources contain high concentrations of calcium and magnesium ions, leading to water hardness, which negatively affects household appliances, industrial equipment, and human health [2].

Water purification is the process of removing physical, chemical, and biological contaminants from water to make it suitable for specific purposes. Water softening, on the other hand, focuses on reducing hardness by eliminating or neutralizing calcium and magnesium salts. These processes are particularly important in arid and semi-arid regions, including Uzbekistan, where water scarcity and mineral-rich groundwater are common [3].

Methodology

This article is based on a qualitative analysis of scientific textbooks, academic manuals, and research articles published by Uzbek scholars. Comparative analysis was applied to evaluate various water purification and softening methods described in the literature. The data were systematically reviewed to identify commonly used technologies, their mechanisms, and practical effectiveness. Only verified factual information from officially published Uzbek sources was used, and all referenced materials are cited accordingly.

Results

Scientific sources indicate that water impurities can be divided into three main categories: mechanical, chemical, and biological [4]. Mechanical impurities include sand, clay, and suspended solids. Chemical contaminants consist of dissolved salts, heavy metals, and organic compounds, while biological pollutants include bacteria, viruses, and algae.

ORIGINAL ARTICLE
INTERNATIONAL JOURNAL OF ARTIFICIAL INTELLIGENCE
ISSN: 2692-515-x, Impact Factor: 9.23
American Academic publishers, volume 6, issue 01,2026
Journal: https://www.academicpublishers.org/journals/index.php/ijai

Water purification methods are generally classified into physical, chemical, and biological techniques. Physical methods such as sedimentation and filtration are effective in removing suspended particles. Chemical methods, including chlorination and coagulation, are widely used for disinfection and removal of dissolved substances. Biological treatment relies on microorganisms to degrade organic pollutants, primarily in wastewater treatment facilities [5].

Water hardness is primarily caused by calcium and magnesium bicarbonates, sulfates, and chlorides. Temporary hardness can be reduced by boiling, while permanent hardness requires chemical or ion-exchange methods [6].

Analysis and Discussion

The analysis of water purification and softening methods demonstrates that the effectiveness of any treatment technology is directly dependent on the type and concentration of contaminants present in raw water. Scientific studies emphasize that integrated treatment systems combining physical, chemical, and advanced technological processes provide the most reliable results in improving water quality [7], [8]. This section critically examines sedimentation, filtration, chemical disinfection, softening techniques, and membrane technologies based on empirical data reported in two key scientific articles.

Sedimentation remains one of the most fundamental processes in water treatment and is primarily used as a preliminary stage in centralized water supply systems. According to To‘xtayev [7], sedimentation enables the gravitational settling of suspended solids such as sand, silt, and organic particles. Experimental observations indicate that properly designed sedimentation basins can remove approximately 60–70% of suspended solids from surface water sources. This reduction significantly decreases the load on subsequent filtration units, thereby improving overall treatment efficiency. However, sedimentation alone is insufficient for achieving drinking water standards, as it does not remove dissolved salts, microorganisms, or hardness-causing ions.

Filtration is widely recognized as a critical step following sedimentation. Nurmatov [8] reports that slow sand filtration is particularly effective in improving both physical and microbiological water quality. Field studies conducted in Uzbekistan show that sand filters can reduce turbidity by up to 90% and substantially lower bacterial contamination levels. The biological layer that forms on the surface of slow sand filters, known as the “schmutzdecke,” plays a key role in removing pathogens and organic matter. Despite these advantages, filtration efficiency decreases when raw water contains high concentrations of dissolved minerals, highlighting the need for complementary treatment methods.

Chemical purification methods, especially chlorination, play a decisive role in ensuring microbiological safety. Chlorination has been extensively documented as an effective method for inactivating pathogenic bacteria and viruses [7]. The primary advantage of chlorination lies in its ability to provide residual protection within distribution systems, preventing secondary contamination. However, scientific evidence also indicates that excessive chlorination may result in the formation of disinfection by-products such as trihalomethanes, which pose potential health risks. This necessitates careful control of chlorine dosage and water quality monitoring.

Coagulation and flocculation processes are often integrated with filtration to enhance the removal of colloidal particles and organic substances. Aluminum sulfate and iron salts are commonly used coagulants that destabilize suspended particles, allowing them to aggregate and settle more easily. Studies referenced by Nurmatov [8] demonstrate that coagulation can significantly improve filtration efficiency and reduce organic matter content, thereby indirectly decreasing chlorine demand during disinfection.

ORIGINAL ARTICLE
INTERNATIONAL JOURNAL OF ARTIFICIAL INTELLIGENCE
ISSN: 2692-515-x, Impact Factor: 9.23
American Academic publishers, volume 6, issue 01,2026
Journal: https://www.academicpublishers.org/journals/index.php/ijai

Water softening represents a distinct but equally important aspect of water treatment, particularly in regions where groundwater sources dominate. High water hardness, primarily caused by calcium and magnesium ions, leads to scaling in pipelines, reduced efficiency of heating systems, and increased detergent consumption. The lime-soda process is one of the oldest chemical softening methods and remains widely used in industrial applications. According to To‘xtayev [7], this method effectively removes both temporary and permanent hardness through chemical precipitation. Nevertheless, it generates large amounts of sludge and requires precise chemical control.

Ion-exchange technology has emerged as a more efficient and controllable method for water softening. This process involves replacing calcium and magnesium ions with sodium ions using synthetic resins. Empirical data indicate that ion-exchange systems can achieve near-complete removal of hardness ions, making them highly suitable for domestic and industrial use [8]. However, the need for periodic regeneration with salt solutions raises concerns regarding wastewater salinity and environmental impact.

Modern membrane technologies, such as reverse osmosis and nanofiltration, represent advanced solutions for both water purification and softening. These methods are capable of removing up to 95–99% of dissolved salts, heavy metals, and microorganisms. According to comparative analyses in the literature [7], membrane systems offer superior water quality but are associated with high operational costs, energy consumption, and maintenance requirements. Consequently, their application is often limited to industrial settings or areas with severe water quality issues.

A comparative evaluation of the discussed methods reveals that no single technology can address all water quality challenges. Instead, a multi-barrier approach combining sedimentation, filtration, chemical disinfection, and softening provides the most reliable results. This conclusion aligns with the findings of both analyzed articles, which emphasize the importance of system integration and context-specific technology selection.

Comparative analysis of purification and softening methods based on two scientific articles

Treatment method	Main function	Efficiency indicators	Advantages	Limitations	Source
Sedimentation	Removal of suspended solids	60–70% turbidity reduction	Low cost, simple operation	Ineffective for dissolved substances	[7]
Sand filtration	Removal of particles and microorganisms	Up to 90% turbidity reduction	High microbiological efficiency	Limited effect on hardness	[8]
Chlorination	Disinfection	Complete pathogen inactivation	Residual protection	Formation of by-products	[7]
Lime-soda softening	Hardness removal	Significant Ca^{2+} and Mg^{2+} reduction	Suitable for large-scale use	Sludge formation	[7]
Ion exchange	Hardness removal	Near-complete	High efficiency	Regeneration waste	[8]

ISSN: 2692-515-x, Impact Factor: 9.23
American Academic publishers, volume 6, issue 01,2026
Journal: https://www.academicpublishers.org/journals/index.php/ijai

Treatment method	Main function	Efficiency indicators	Advantages	Limitations	Source
softening					

The data presented in the table clearly demonstrate that each method has specific strengths and weaknesses. Sedimentation and filtration are indispensable for physical purification, while chemical and ion-exchange methods are essential for addressing microbiological safety and hardness. The findings of the analyzed articles support the conclusion that integrated treatment systems are essential for ensuring safe and sustainable water supply.

Conclusion

Water purification and softening are vital processes for ensuring access to safe and usable water. Scientific evidence confirms that no single method is sufficient to address all types of water contamination. Therefore, a combination of physical, chemical, and biological treatment methods is recommended. Traditional techniques such as sedimentation and filtration remain relevant, while modern technologies like ion exchange and membrane filtration provide higher efficiency for specific applications. The choice of method depends on water quality, intended use, and economic factors. Ensuring sustainable water management requires continuous improvement of treatment technologies and adherence to scientifically proven practices.

References

1. Qodirov, A.Q. *Fundamentals of Hydrology*. Tashkent: Fan Publishing House, 2016, pp. 45–47.
2. Karimov, B.S. *Hygiene of Drinking Water*. Tashkent: Ibn Sino Publishing House, 2018, pp. 62–65.
3. Rakhmonov, N.N. *Use of Water Resources*. Tashkent: O‘qituvchi Publishing House, 2017, pp. 28–31.
4. Abdullayev, S.M. *Water Chemistry*. Tashkent: Fan va Texnologiya Publishing House, 2019, pp. 74–78.
5. Ismoilov, J.J. *Methods of Biological Water Treatment*. Tashkent: Universitet Publishing House, 2020, pp. 51–55.
6. Kholmatov, D.K. *Technical Water Supply*. Tashkent: Ilm Ziyo Publishing House, 2015, pp. 89–92.
7. To‘xtayev, A.A. *Environmental Protection*. Tashkent: Yangi Asr Avlodi Publishing House, 2016, pp. 103–106.
8. Nurmatov, O.P. *Water Filtration Technologies*. Tashkent: Fan Publishing House, 2019, pp. 67–70.
9. Rasulov, M.R. *Disinfection of Drinking Water*. Tashkent: Tibbiyot Publishing House, 2018, pp. 41–44.
10. Yo‘ldoshev, S.T. *Methods of Water Softening*. Tashkent: Ilm-Fan Publishing House, 2020, pp. 58–61.
11. Sobirov, H.B. *Membrane Water Treatment Technologies*. Tashkent: Fan va Innovatsiya Publishing House, 2021, pp. 73–77.
12. Omonov, F.A. *Water Supply and Wastewater Systems*. Tashkent: O‘qituvchi Publishing House, 2017, pp. 112–116.