



**HEMATOLOGICAL AND IMMUNE PARAMETERS IN CHILDREN WITH  
CONGENITAL HEART DEFECTS**

**Tairova Sakina Bakhodirovna,  
Daminov Sunnat Jaxongir ugli**  
Samarkand State  
Medical University

**Abstract:** In surgical practice, the presence of comorbid pathology has a significant impact on the course of the postoperative period, the development of complications, and also affects the prognosis. Current standards and approaches in surgery should include an analysis of comorbid diseases when choosing methods of anesthesia, intensive care and tactics of surgical intervention. In surgical interventions in children for congenital heart disease, it is necessary to carry out intensive therapy, including the correction of disorders of all vital organs. In our study, we focused on the correction of some disorders, in particular physical development, hormonal and immune status disorders, neurocognitive disorders. We studied several domestic and foreign literary data on the correction of these disorders.

**Key words:** congenital heart disease, cytokine, interleukin, iron deficiency, erythropoietin

**TUG'MA YURAK NUQSONI BO'LGAN BOLALARDA GEMATOLOGIK VA IMMUN  
KO'RSATKICHLAR**

**Tairova Sakina Baxodirovna  
Daminov Sunnat Jaxongir o'g'li**  
Samarqand davlat  
tibbiyot universiteti

**Annotatsiya:** Tug'ma yurak kasalligi (TYuN) tabiati va yurak-qon tomir kasalliklari bilan og'rigan bemorlarning erta omon qolish qobiliyatiga yurak-qon tomir kasalliklari bilan og'rigan bemorlarning 23-30% da o'zini namoyon qiladigan konjenital ekstrakardial patologiyaning og'irligi, o'lim darajasi ta'sir qiladi; 89% ga oshadi. Birlamchi yoki ikkilamchi immunitet tanqisligining ma'lum bir noqulay sharoitlarida, hatto gemodinamik jihatdan qoplanadigan va tuzatishni talab qilmaydigan juda kichik nuqsonlar ham infeksiyaning to'planishi va infeksiyon endokardit rivojlanishi uchun fon bo'lib xizmat qilishi va ular bilan bog'liq revmatologik kasalliklarning kechishini kuchaytirishi mumkin. Immunopatologik sharoitlarni shakllantirishning zamonaviy kontseptsiyasi neyroendokrin va immun tizimini yagona gomeostatik tartibga solishning asosi sifatida ko'rib chiqadi. Biz ushbu buzilishlarni tuzatish bo'yicha bir nechta mahalliy va xorijiy adabiyot ma'lumotlarini o'rganib chiqdik.

**Kalit so'zlar:** tug'ma yurak nuqsoni, tsitokin, interleykin, temir tanqisligi, eritropoetin

**ГЕМАТОЛОГИЧЕСКИЕ И ИММУННЫЕ ПОКАЗАТЕЛИ У ДЕТЕЙ С  
ВРОЖДЕННЫМ ПОРОКОМ СЕРДЦА**

Тайрова Сакина Баходировна  
Даминов Суннат Жахонгир угли  
Самаркандский государственный



медицинский университет

**Аннотация:** На характер врожденного порока сердца (ВПС) и раннюю живучесть пациентов с ВПС воздействует степень тяжести, сопутствующей врожденной экстракардиальной патологии, которая проявляется у 23-30% больных с ВПС, когда есть такая патология показатель смертности прогрессирует до 89%. В определенных неблагоприятных обстоятельствах первичного или вторичного иммунодефицита даже очень малозначительные, гемодинамически компенсированные и не нуждающиеся в коррекции дефекты правоспособны служить фоном для наслоения инфекции и развития инфекционного эндокардита и утяжелять течение сопряженных ревматологических заболеваний. Современная концепция формирования иммунопатологических состояний рассматривает нейроэндокринную и иммунную системы в качестве основы единой гомеостатической регуляции. Мы изучили несколько отечественных и зарубежных литературных данных по коррекции этих нарушений.

**Ключевые слова:** врождённый порок сердца, цитокин, интерлейкин, железодефицит, эритропоэтин

The immune system is integrating, along with the central nervous and endocrine systems, and is involved in maintaining homeostasis in the child's body and establishing an optimal balance in its relationships with the environment. Immunological mechanisms are involved in the pathogenesis of the main diseases of the perinatal period, and subsequently, determine the possibility of full rehabilitation of the sick child. The review of world literature provides data that it has now been proven that surgical treatment under IR conditions is accompanied by an increase in the synthesis of cytokines and the formation of a systemic inflammatory response. It has been shown that iron recirculation is disrupted during inflammation and functional iron deficiency develops. Under the influence of proinflammatory cytokines, an inadequate amount of erythropoietin is produced, and bone marrow precursors of erythrocytes become resistant to it. The consequence of this is a decrease in hemoglobin synthesis and inhibition of erythropoiesis. Resistance to erythropoietin correlates with the level of C-reactive protein. Prescription of iron preparations against the background of inflammation does not give the expected result, and blood transfusions prescribed only to improve the quantitative indices of red blood are not justified, since they have a temporary effect. Transfused erythrocytes quickly disintegrate. Iron from destroyed donor erythrocytes does not compensate for its loss in the recipient and is not included in the synthesis of hemoglobin, but is deposited in the form of hemosiderin in various organs, including the myocardium. It is believed that more than 10 blood transfusions and the introduction of large volumes of donor erythrocytes can lead to hemosiderosis and dysfunction of internal organs. Therefore, postoperative anemia in patients with congenital heart disease has a complex pathogenetic mechanism. Transfusion of red blood cells, the appointment of iron preparations against the background of a systemic inflammatory response or purulent-septic complications do not solve the problem of anemia. In addition, blood transfusions are associated with a high risk of transmission of infectious agents and allosensitization. Anemia is observed in 90% of patients in the immediate postoperative period after major surgery. The main causes are: the presence of preoperative anemia, perioperative blood loss, malnutrition in the postoperative period, frequent blood sampling for laboratory tests.

Recently, the effectiveness of treating anemia with iron preparations and recombinant human erythropoietin has been widely discussed, but many unresolved issues remain, which determines



the need to develop therapeutic measures aimed at both preventing anemia and activating natural erythropoiesis after radical correction of congenital heart disease.

According to Khamidova F.K. et al., the functioning of the immune system in children with the natural course of VSD is accompanied by the formation of adaptive immunity, which is realized in the activation of the B-cell link of the immune system against the background of an imbalance in the T-lymphocyte population. The development of immune imbalance in children with cardiovascular diseases leads to increased susceptibility to intercurrent infections, a tendency to develop chronic forms of any diseases, allergic and autoimmune processes. The works of Sh.A. Agzamova provide data on the frequency of occurrence and risk factors for the formation of congenital heart defects in children of the Khorezm region. Risk factors for the development of congenital heart defects have been identified, such as an aggravated obstetric history of mothers of children born with congenital heart defects (spontaneous miscarriages in 25% of mothers, fetoplacental insufficiency in 54.6%, threatened miscarriage in 56.2%), as well as acute viral diseases in the first trimester of pregnancy in 59.3% of mothers and laboratory-confirmed carriage of high titers of IgG to TORCH infections such as herpes, toxoplasmosis and cytomegalovirus in 48.4% of mothers.

Interleukin-6 (IL-6) is a pleiotropic inflammatory cytokine that can be produced by reactivated T cells, B cells, monocytes, and malignant cells. IL-6 has a significant effect on the homeostasis of the immune and neuroendocrine systems, and affects the balance of proinflammatory/antiinflammatory pathways. In a review of the world literature, IL-6 levels were assessed as a marker of cerebral injury and systemic proinflammatory response and response to surgical treatment in children. They increased immediately after surgery and normalized on the 7th day. According to the literature, Cortixin inhibits the intracellular cascade of the main proinflammatory cytokine IL-6 [32, 42-48]. Clinical data of Ivkin A.A. et al. showed that IL-6 is a marker of systemic inflammatory response with dual pro- and anti-inflammatory action and is characterized by a variety of cells producing it (cardiomyocytes, fibroblasts, endotheliocytes). When analyzing IL-6, a picture of its increase was observed during the CB period with a further increase on the following day. Based on the literature data, according to which the peak marker concentration is reached 24 hours after the start of the operation, in our study the IL-6 values should be the same at the 3rd control point, which was noted during the analysis. IL-10 is an anti-inflammatory cytokine and it is known that its elevated concentrations in the postoperative period are associated with immunosuppression and an increased risk of infectious complications. The highest point of concentration of this marker, according to the author, is the end of CB, which is consistent with the results of other similar studies, with its further rapid decrease after 16 hours almost to the initial preoperative level. Thus, for the studied group of patients, the risk of the described complications and immunosuppression was minimal, which is due to the short time of CPB, with which IL-10 is correlated according to the results of Gorjipour F. et al.

In clinical studies by Stevan Hammer, when studying the systemic inflammatory response in children with congenital heart defects who underwent surgical correction using artificial circulation, interleukin-6 was determined as a component of the systemic inflammatory response syndrome to artificial circulation and the postoperative kinetics of these parameters were assessed in an uncomplicated course. Serum concentrations of interleukin-6 were affected by the systemic inflammatory response syndrome after cardiac surgery using artificial circulation. Even in the case of an uncomplicated course, IL-6 was elevated for at least four days.



**REFERENCES:**

1. Таирова С. Б., Мухамадиева Л. А. РАССТРОЙСТВА ПОВЕДЕНИЯ У ДЕТЕЙ С ВРОЖДЕННЫМИ ПОРОКАМИ СЕРДЦА //Journal of cardiorespiratory research. – 2022. – Т. 3. – №. 2. – С. 19-21.
2. ТАИРОВА С. Б., МУХАМАДИЕВА Л. СЕРДЦА У ДЕТЕЙ С КОМОРБИДНОЙ ПАТОЛОГИЕЙ (литературный обзор) //ЖУРНАЛ БИОМЕДИЦИНЫ И ПРАКТИКИ. – 2022. – Т. 7. – №. 2.
3. Хусинов А. А., Таирова С. Б. ФУНКЦИОНАЛЬНОЕ СОСТОЯНИЕ ГИПОТАЛАМО-ГИПОФИЗАРНОЙ НЕЙРОСЕКРЕТОРНОЙ СИСТЕМЫ В ФИЗИОЛОГИЧЕСКИХ УСЛОВИЯХ У ИНТАКТНЫХ ЖИВОТНЫХ //Материалы XXIII съезда Физиологического общества им. ИП Павлова с международным участием. – 2017. – С. 1595-1597.
4. Таирова С. Б., Мухторов А. А. У., Зиёдуллаева М. С. Нейрокогнитивные расстройства у детей с врождёнными пороками сердца (литературный обзор) //Science and Education. – 2023. – Т. 4. – №. 2. – С. 543-548.
5. Bakhodirovna T. S., Atamuradovna M. L. PATHOGENETIC ASPECTS OF ALLERGIC REACTIONS AMONG CHILDREN WITH CONGENITAL HEART DEFECTS //JOURNAL OF BIOMEDICINE AND PRACTICE. – 2023. – Т. 8. – №. 2.
6. Скворцов В. В., Тумаренко А. В., Байманкулов С. С. Врожденные пороки сердца //Медицинская сестра. – 2017. – №. 7. – С. 14-17.
7. ТАИРОВА С. Б., МУХАМАДИЕВА Л. А. ДИАГНОСТИКА ВРОЖДЕННЫХ СЕПТАЛЬНЫХ ПОРОКОВ СЕРДЦА У ДЕТЕЙ С КОМОРБИДНОЙ ПАТОЛОГИЕЙ (литературный обзор) //ЖУРНАЛ БИОМЕДИЦИНЫ И ПРАКТИКИ. – 2022. – Т. 7. – №. 2.
8. Таирова С. Б., Мухамадиева Л. А. РАССТРОЙСТВА ПОВЕДЕНИЯ У ДЕТЕЙ С ВРОЖДЕННЫМИ ПОРОКАМИ СЕРДЦА //Журнал кардиореспираторных исследований. – 2022. – Т. 3. – №. 2.
9. Таирова С. Б. Хушвактова ББҚ Особенности течения коморбидной патологии с врожденными септальными пороками сердца (литературный обзор) //Science and Education. – 2023. – Т. 4. – №. 2. – С. 549-555.
10. Таирова С. Б. Allergic reactions on the background of congenital heart defects in young children //Журнал кардиореспираторных исследований. – 2023. – Т. 4. – №. 1.
11. Таирова С. Б., Бурунов М. И. У. Эпидемиология и факторы риска развития врождённых пороков сердца у детей (литературный обзор) //Science and Education. – 2023. – Т. 4. – №. 2. – С. 536-542.
12. Таирова С. Б., Мухамадиева Л. А. Диагностика врожденных септальных пороков сердца у детей с коморбидной патологией (литературный обзор) //журнал биомедицины и практики. – 2022. – Т. 7. – №. 2.
13. Таирова С. Б., Хушвактова Б. Б. Қ. Особенности течения коморбидной патологии с врожденными септальными пороками сердца (литературный обзор) //Science and Education. – 2023. – Т. 4. – №. 2. – С. 549-555.
14. Turaeva N. et al. The use of cholecalciferol in the treatment of bronchial asthma in children //E3S Web of Conferences. – EDP Sciences, 2023. – Т. 413. – С. 03032.



15. Tairova S. B., Sattarova R. T., Husanova M. B. Q. Incidence of allergic diseases in children with congenital heart defects //Science and Education. – 2023. – Т. 4. – №. 10. – С. 17-21.
16. Таирова С. Б. АЛЛЕРГИЧЕСКИЕ РЕАКЦИИ НА ФОНЕ ВРОЖДЕННЫХ ПОРОКОВ СЕРДЦА У ДЕТЕЙ РАННЕГО ВОЗРАСТА //Journal of cardiorespiratory research. – 2023. – Т. 1. – №. 1. – С. 72-75.
17. Таирова С. Б., Мухамадиева Л. А. ОЦЕНКА РОСТА И РАЗВИТИЯ У ДЕТЕЙ С ВРОЖДЕННЫМИ ПОРОКАМИ СЕРДЦА //Инновационные технологии в медицине: взгляд молодого специалиста. – 2022. – С. 37-38.
18. Epidemiology and Risk Factors for Congenital Heart Defects in Children MNS Tairova Sakina Bakhodirovna, Mukhamadiyeva Lola Atamuradovna AMERICAN Journal of Pediatric Medicine and Health Sciences 5 (2), 94-98
19. Immunological Aspects in Young Children with Congenital Heart Defects MLA Tairova Sakina Bakhodirovna1 American Journal of Medicine and Medical Sciences 14 (4), 805-807
20. Tairova S. B., Asatillayeva S. S. Q., Ismatova N. U. Q. Tug ‘ma yurak nuqsoni mavjud bo ‘lgan bolalarda epidemiologiya va xavf omillari (adabiyotlar sharhi) //Science and Education. – 2024. – Т. 5. – №. 3. – С. 98-104.
21. Tairova S. B., Ashirkulova F. T. L. Q., Ahmatova N. S. Q. Septal tug ‘ma yurak nuqsoni bo ‘lgan bolardagi komorbid holatlar //Science and Education. – 2024. – Т. 5. – №. 3. – С. 111-117.
22. Tairova S. B., Ahmatova N. S. Q., Ashirkulova F. T. L. Q. Tug ‘ma yurak nuqsoninlari: immunologik perspektiva (adabiyotlar sharhi) //Science and Education. – 2024. – Т. 5. – №. 3. – С. 134-140.
23. Tairova S. B., Ahmatova N. S. Q., Ashirkulova F. T. L. Q. Tug ‘ma yurak nuqsoni bo ‘lgan bolalarda neyrokognitiv buzilishlar (adabiyotlar sharhi) //Science and Education. – 2024. – Т. 5. – №. 3. – С. 141-146.
24. Tairova S. B., Ismatova N. U. Q., Asatillayeva S. S. Q. Tug ‘ma yurak nuqsoni bor bolalar orasida allergik kasalliklari bilan kasallanishi //Science and Education. – 2024. – Т. 5. – №. 3. – С. 147-152.
25. Tairova S. B., Ashirkulova F. T. L. Q., Ahmatova N. S. Q. Komorbid patologiyalari mavjud bo ‘lgan bolalarda septal tug ‘ma yurak nuqsoninig kechish xususiyatlari (adabiyotlar sharhi) //Science and Education. – 2024. – Т. 5. – №. 3. – С. 118-124.
26. PREVALENCE OF ALLERGIC DISEASES AMONG CHILDREN WITH CONGENITAL HEART DEFECTS TS Bakhodirovna JOURNAL OF BIOMEDICINE AND PRACTICE 8 (4)
27. ВРОЖДЕННЫЙ ПОРОК СЕРДЦА: ИММУНОЛОГИЧЕСКАЯ ПЕРСПЕКТИВА (ЛИТЕРАТУРНЫЙ ОБЗОР) TS Bahodirovna JOURNAL OF BIOMEDICINE AND PRACTICE 8 (4)
28. ИММУНОЛОГИЧЕСКИЕ АСПЕКТЫ У ДЕТЕЙ РАННЕГО ВОЗРАСТА С ВРОЖДЕННЫМИ ПОРОКАМИ СЕРДЦА TS Bahodirovna, ML Atamuradovna JOURNAL OF BIOMEDICINE AND PRACTICE 8 (4)



**AMERICAN  
ACADEMIC  
PUBLISHER**

# **INTERNATIONAL JOURNAL OF MEDICAL SCIENCES**

**ISSN NUMBER: 2692 - 5206**

**Volume 5. No 12. December ,2025**

29. ДИАГНОСТИКА ВРОЖДЕННЫХ СЕПТАЛЬНЫХ ПОРОКОВ СЕРДЦА У ДЕТЕЙ С КОМОРБИДНОЙ ПАТОЛОГИЕЙ (литературный обзор) TS Bakhodirovna, ML Atamuradovna JOURNAL OF BIOMEDICINE AND PRACTICE 7 (2)